

No-Tox[®] WATER SOLUBLE INKS (FLEXOGRAPHIC/GRAVURE)

NT08
(09/14)

- Printing Method:** Flexography or Gravure
- Suggested Uses:** Water color paint palettes, childrens' "Paint with Water" books, wash-off games or promotions, and other applications where non-toxicity, water solubility and odorless characteristics are required.
- Plates and Rollers:** Natural rubber, Cyrel (DuPont, USA) and other photopolymer plates.
- Stock:** Transfer characteristics are best on coated stocks with high hold-out, such as enamels or high quality uncoated papers. Some plastics (styrene) can also be used, but drying must be carefully monitored to prevent offsetting or blocking.
- Light Stability:** Fair. Due to the nature of the colorants used, we do not recommend these inks where light stability is of prime importance.
- Recommended Solvents:** The following materials and blends are intended only as a guide. Other diluents and/or ratios may be better suited for your specific application. For additional assistance, contact our Technical Services Department.
- Normal: 80% Water
20% Isopropyl Alcohol
- Fast: 50% Isopropyl Alcohol
50% Water
- Slow: 100% Water
- Color Availability:** Supplied in 4 standard colors: yellow, red, blue, black. Other colors can be custom blended or achieved by on-press trapping.
- Shelf Life:** Minimum one year in unopened containers.
- FDA Acceptability*:** All components used in No-Tox inks are sanctioned by the FDA and USDA as acceptable for direct food contact.

*Note: FDA acceptability is based on the ink as supplied. Therefore, no materials should be added other than those indicated in this bulletin unless specifically recommended by Colorcon.



For more information, contact your Colorcon representative or call 1-800-724-0624
You can also visit our website at <http://www.colorcon.com/notox>

©BPSI Holdings LLC, 2014

The information contained in this document is proprietary to Colorcon Inc. and may not be used or disseminated inappropriately.

All trademarks, except where noted, are property of BPSI Holdings, LLC.

The information contained herein, to the best of Colorcon Inc.'s knowledge, is true and accurate. Any recommendations or suggestions of Colorcon Inc. with regard to the products provided by Colorcon Inc. are made without warranty, either implied or expressed, because of the variations in methods, conditions and equipment which may be used in commercially processing the products, and no such warranties are made for the suitability of the products for any applications that you may have disclosed. Colorcon Inc. shall not be liable for loss of profit or for incidental, special or consequential loss or damages. The information contained in this document is not intended as legal advice, and should not be relied upon for that purpose. Any regulatory information provided is intended solely as initial general guidance. Each customer is responsible for determining the regulatory acceptability of the use of the product in their specific application.