

A Higher Standard

No-Tox[®] **Products**

Technical Data

Specialty Product LITHOSAFE® SHEETFED INKS

(LETTERPRESS AND OFFSET LITHOGRAPHY)

IT08 (08/14)

Product Type: Modified oleoresinous oxidation drying

Printing Method: All standard letterpress and offset lithographic presses with conventional

dampening systems. Not recommended for small duplicator presses

having integrated dampening systems.

Suggested Uses: Ideally suited for minimal or indirect food contact applications including external

food packaging, toy packaging, or any application requiring very low lead and

heavy metal content are ideal candidates for LITHOSAFE offset inks.

Stocks: Acceptable for most uncoated and coated paper and board stocks, including

SBS, enamels, bond, and parchment as well as some plastic stocks.

Plates and Rollers: All types of standard letterpress and lithographic plates and rollers may be used.

Fountain Solutions: Compatible with most conventional fountain solutions, including alcohol, alcohol

modified or alcohol-free types.

Additives and Diluents*:Lithosafe offset inks are normally supplied at optimum tack and viscosity for

most printing conditions. High boiling hydrotreated petroleum middle distillates (such as Magiesol 47 or Magiesol 52, (Calumet Special Products, USA) may

be used to reduce tack or body if necessary.

Wash-Up: Standard press washes are acceptable. Press parts should be thoroughly

dried after cleaning.

Color Availability: Provided in standard PANTONE (PANTONE LLC, USA) base system colors,

including process colors. Contact our Technical Service Department for assistance

when attempting to blend and match.

Shelf Life: Minimum two years in unopened containers.

Safety*: All components in Lithosafe Inks are sanctioned by FDA and USDA as

acceptable for minimal food contact applications.



For more information, contact your Colorcon representative or call 1-800-724-0624 You can also visit our website at http://www.colorcon.com/notox

©BPSI Holdings LLC, 2014
The information contained in this document is proprietary to Colorcon Inc. and may not be used or disseminated inappropriately.
All trademarks, except where noted, are property of BPSI Holdings, LLC.
The information contained herein, to the best of Colorcon Inc.'s knowledge, is true and accurate. Any recommendations or suggestions of Colorcon Inc. with regard to the products provided by Colorcon Inc. are made without warranty, either implied or expressed, because of the variations in methods, conditions and equipment which may be used in commercially processing the products, and no such warranties are made for the suitability of the products for any applications that you may have disclosed. Colorcon Inc. shall not be liable for loss of profit or for incidental, special or consequential loss or damages. The information contained in this document is not intended as legal advice, and should not be relied upon for that purpose. Any regulatory information provided is intended solely as initial general guidance. Each customer is responsible for determining the regulatory acceptability of the use of the product in their specific application.