

## No-Tox<sup>®</sup> STYRENE/SARAN INKS

(FLEXOGRAPHIC/GRAVURE)

NT05  
(09/14)

- Product Type:** Modified Acrylic Polymers
- Printing Method:** Flexography or Gravure
- Suggested Uses:** Specifically designed for use on styrene films used for meat and poultry labels, inserts and for Saran (Dow Chemical, USA) (PVDC) or acrylic coated polypropylene and foils used for candy bar wrappers and similar applications.
- Plates and Rollers:** These inks contain ester solvents in quantities sufficient to cause distortion and swelling of natural rubber and some photopolymer plates and rollers. Care should be exercised in selecting suitable plates and rollers.
- Additives and Diluents\*:** Normally supplied at higher than press-ready viscosities to allow for diluent and drying rate adjustment flexibility at press-side.
- Recommended Solvents:** The following solvents and blends are intended only as a guide. Other diluents and/or ratios may be better suited for your specific application. For additional assistance, contact our Technical Services Department.
- | <u>For Flexography</u>    | <u>For Rotogravure</u>    |
|---------------------------|---------------------------|
| Normal:                   | Normal:                   |
| 70% Glycol Ether*         | 50% Ethyl Acetate         |
| 30% Normal Propyl Acetate | 50% Normal Propyl Acetate |
| Fast:                     | Fast:                     |
| 70% Glycol Ether*         | 80% Ethyl Acetate         |
| 30% Ethyl Acetate         | 20% Normal Propyl Acetate |
| Slow:                     | Slow:                     |
| 100% Glycol Ether*        | 80% Normal Propyl Acetate |
| *PM Recommended           | 20% Ethyl Acetate         |
- Color Availability:** 14 standard colors including process colors
- Shelf Life:** Minimum one year in unopened containers.
- FDA Acceptability\*\*:** All components used in No-Tox inks are sanctioned by the FDA and USDA as acceptable for direct food contact.

\*\*Note: FDA acceptability is based on the ink as supplied. Therefore, no materials should be added other than those indicated in this bulletin unless specifically recommended by Colorcon.



For more information, contact your Colorcon representative or call 1-800-724-0624  
You can also visit our website at [http:// www.colorcon.com/notox](http://www.colorcon.com/notox)

©BPSI Holdings LLC, 2014

The information contained in this document is proprietary to Colorcon Inc. and may not be used or disseminated inappropriately.

All trademarks, except where noted, are property of BPSI Holdings, LLC.

The information contained herein, to the best of Colorcon Inc.'s knowledge, is true and accurate. Any recommendations or suggestions of Colorcon Inc. with regard to the products provided by Colorcon Inc. are made without warranty, either implied or expressed, because of the variations in methods, conditions and equipment which may be used in commercially processing the products, and no such warranties are made for the suitability of the products for any applications that you may have disclosed. Colorcon Inc. shall not be liable for loss of profit or for incidental, special or consequential loss or damages. The information contained in this document is not intended as legal advice, and should not be relied upon for that purpose. Any regulatory information provided is intended solely as initial general guidance. Each customer is responsible for determining the regulatory acceptability of the use of the product in their specific application.