

Investigation of a Small Volume Dissolution Method to Simulate Mouth Cavity Condition for Taste-masking Evaluation of Dextromethorphan – Resin Complex

Raxit Y. Mehta, Charles R. Cunningham and Ali Rajabi-Siahboomi

Colorcon, Inc., Harleysville, PA, USA, www.colorcon.com

AAPS
Poster Reprint 2018

Purpose

Saliva volume is small in the oral cavity and residence time of the dosage form is short; however, the perception of bitter taste occurs within seconds. Compendial dissolution testing with large media volume and long exposure may not be a sufficient or appropriate method for evaluating the taste-mask effectiveness of a drug formulation. Further, the use of large volume dissolution media may inadvertently increase the drug release from taste-masked drug-resin complex due to the increased presence of counterions. The objective of this investigation was to develop a small volume dissolution apparatus to simulate oral cavity conditions, with a rapid drug release measurement capability in simulated saliva. Unmodified drug or drug-resins complex were characterized by drug release properties in the novel small volume dissolution method, and compendial dissolution method.

Methods

Small Volume Method

To simulate the oral cavity, a small volume dissolution method was used, with an IKA ULTRA-TURRAX Tube Drive (IKA Works Inc., USA) equipped with 20 mL mixing vessel (Figure 1). As displayed in Figure 2, dextromethorphan (DXM) release was measured using 10 mL of simulated saliva (pH 6.2) with periodic sampling through a cannula connected to a UV cell, which then returned to the mixing vessel. Unmodified drug and drug-resin complexes of strong cationic resin (AMBERLITE™ IRP69, The Dow Chemical Company) and weak cationic resin (AMBERLITE™ IRP88) at 1:1, 1:2 and 1:3 w/w drug to resin ratios, were individually added to the mixing vessel for drug release evaluation. Samples were mixed at 750 rpm and drug release was characterized using online UV-Vis spectrophotometer at 278 nm wavelength at 20, 30 and 60 seconds intervals for 10 minutes.


Compendial Method

To evaluate the effect of excessive media volume, the drug release from unmodified drug and drug-resin complexes of strong cationic resin (AMBERLITE™ IRP69) and weak cationic resin (AMBERLITE™ IRP88), at 1:1, 1:2 and 1:3 w/w drug to resin ratios, was also characterized using compendial methods. The compendial method utilizes 500mL of 0.1N HCl and apparatus II (paddles) (Agilent Technologies, USA) at 50 rpm. The drug release was characterized at 37°C for 3 hrs.

Figure 1: IKA Ultra Turrax Tube Drive Control Equipped with 20 mL Mixing Vessel



Figure 2: Schematic of Small Volume Dissolution Set Up




Results

Drug Release Characterization using Small Volume Method


DXM-resin complexation resulted in a small amount of drug release (< 20% w/w) in the simulated saliva, compared to the unmodified drug released (100% w/w), which is highly desirable for taste-masking purposes. The amount of drug released from the strong cationic resin complex was significantly lower (Figure 3) as compared to the weak cationic resin complex (Figure 4).

Figure 3: DXM Release from Drug-AMBERLITE™ IRP69 Complex using Small Volume Dissolution Method



In addition, use of higher resin concentrations resulted in a slightly lower amount of drug release into the media. Drug release reached an equilibrium concentration since the use of small media volume provides a limited quantity of counterions for uncoupling of the drug from the drug-resin complex.

Figure 4: DXM Release from Drug-AMBERLITE™ IRP88 Complex using Small Volume Dissolution Method



Drug Release Characterization using Compendial Method

DXM-weak cationic resin complexes provided more than 80% of drug release (Figure 5), whereas DXM-strong cationic resin complexes exhibited controlled drug release behavior and provided <50% of drug release under compendial dissolution method (Figure 6).

Figure 5: DXM Release from Drug-AMBERLITE™ IRP69 Complex using Compendial Dissolution Method






Figure 6: DXM Release from Drug-AMBERLITE™ IRP88 Complex using Compendial Dissolution Method



Drug Release Comparison


Five (5) minutes was selected as a suitable residence time of the dosage form in the mouth cavity. Figure 7 & 8 show drug release comparison at 5 min. intervals between the compendial and small volume dissolution method. Use of compendial dissolution method provided noticeable higher drug release, which can be attributed to large media volume and availability of more counterion for drug release.

Figure 7: Comparison of DXM Release from Drug-AMBERLITE™ IRP69 Complex at 5 Minutes



Further, the drug-resin complexes of weak cationic resin resulted in more than 80% of drug release in 5 min. (Figure 8), suggesting poor taste-masking using the compendial dissolution method. However, use of the small volume method, and simulation of the mouth cavity environment resulted in <30% of drug release to indicate appropriate drug taste-masking.

Figure 8: Comparison of DXM Release from Drug-AMBERLITE™ IRP88 Complex at 5 mins



Conclusions

A small volume method for the characterization of taste-masking for the drug-resin complex was developed. This method utilizes 10 mL of simulated saliva, as dissolution media, and analyzes drug release at 20 seconds intervals. Small volume dissolution method may be an appropriate, and complementary to compendial method, during formulation screening and development of taste-masked dosage forms using ion-exchange resin complexes. Use of resin complexation reduced the availability of free drug, which enables taste-masking of the bitter drug. Drug and strong cationic resin (DXM- AMBERLITE™ IRP69) complex resulted in a lower level of drug release, as compared to the weak cationic (DXM- AMBERLITE™ IRP88) drug complex.

The information contained herein, to the best of Colorcon, Inc.'s knowledge is true and accurate. Any recommendations or suggestions of Colorcon, Inc. with regard to the products provided by Colorcon, Inc. are made without warranty, either implied or expressed, because of the variations in methods, conditions and equipment which may be used in commercially processing the products, and no such warranties are made for the suitability of the products for any applications that you may have disclosed. Colorcon, Inc. shall not be liable for loss of profit or for incidental, special or consequential loss or damages.

Colorcon, Inc. makes no warranty, either expressed or implied, that the use of the products provided by Colorcon, Inc., will not infringe any trademark, trade, copyright, patent or other rights held by any third person or entity when used in the customer's application.

For more information, contact your Colorcon representative or call:

North America +1-215-699-7733	Europe/Middle East/Africa +44-(0)-1322-293000	Latin America +54-1-5556-7700	India +91-832-6727373	China +86-21-61982300
---	---	---	---------------------------------	---------------------------------

You can also visit our website at www.colorcon.com



© BPSI Holdings LLC, 2018.

The information contained in this document is proprietary to Colorcon and may not be used or disseminated inappropriately.

All trademarks, except where noted, are property of BPSI Holdings, LLC.

AAPS_2018_MEHTA_RESINS_AMBERLITE