

## A Higher Standard

## **No-Tox**® **Products**

Technical Data

## No-Tox® POLYOLEFIN INKS

NT24 (10/14)

(PAD PRINT/SCREEN PRINT)

**Product Type:** Specially modified rosin ester.

**Printing Method:** Pad or screen printing depending on diluents and diluted

viscosity.

**Suggested Uses:** Specially designed for all types of polyolefin (polyethylene and

polypropylene) films, sheets or coated paperboard which will be in contact with food or pharmaceutical products. For optimum adhesion and abrasion resistance, items must be corona treated (40 dynes/cm<sup>2</sup>)

minimum) prior to printing.

**Specific Characteristics:** One-part air dry or heat-assisted curing system exhibiting excellent

adhesion and alcohol resistance properties on corona treated

polyolefins.

**Note:** If alcohol resistance is not of prime importance, adhesion and abrasion

resistance can be optimized by choosing NT30 system inks.

**Equipment Requirements:** Pad Printing: compatible with all types of pad printing equipment

provided pads are elastomeric materials resistant to glycol ether or

aromatic solvents.

Screen Printing: nylon screens are normally acceptable. Squeegees should be made from glycol ether or aromatic solvent resistant materials. Natural or synthetic rubbers are generally acceptable. Mesh size is dependent on print and end-use requirements.

**Additives and Diluents\*:** Both pad print and screen print versions of these inks are normally

supplied at higher than press-ready viscosities to allow for viscosity

and drying rate adjustment flexibility at press-side.

**Recommended Solvent:** The following solvents and blends are intended only as a guide.

Other diluents and/or ratios may be better suited for your specific application. For additional assistance, contact our Technical

Services Department.

Normal: 100% Propylene Glycol N-Butyl Ether (Glycol Ether PB)

Fast: 100% Glycol Ether PM

Slow: 100% Butyl Carbitol (Dow Chemical Company, USA)

(Glycol Ether DB)

**Color Availability:** Process colors and opaque white are standards. Matched colors

may be available but are subject to minimum order requirements.

**Shelf Life:** Minimum one year in unopened containers.

## FDA Acceptability\*: All components used in No-Tox inks are sanctioned by the FDA and USDA for direct food contact.

\*Note: FDA acceptability is based on the ink as supplied. Therefore, no materials should be added other than those indicated in this bulletin unless specifically recommended by Colorcon.



For more information, contact your Colorcon representative or call 1-800-724-0624 You can also visit our website at http://www.colorcon.com/notox

©BPSI Holdings LLC, 2014
The information contained in this document is proprietary to Colorcon Inc. and may not be used or disseminated inappropriately.
All trademarks, except where noted, are property of BPSI Holdings, LLC.
The information contained herein, to the best of Colorcon Inc.'s knowledge, is true and accurate. Any recommendations or suggestions of Colorcon Inc. with regard to the products provided by Colorcon Inc. are made without warranty, either implied or expressed, because of the variations in methods, conditions and equipment which may be used in commercially processing the products, and no such warranties are made for the suitability of the products for any applications that you may have disclosed Colorcon Inc. shall not be liable for loss of profit or for incidental, special or consequential loss or damages. The information contained in this document is not intended as legal advice, and should not be relied upon for that purpose. Any regulatory information provided is intended solely as initial general guidance. Each customer is responsible for determining the regulatory acceptability of the use of the product in their specific application.